

Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS**0607/13**

Paper 1 (Core)

May/June 2026**MARK SCHEME**Maximum Mark: 60

Published

This mark scheme contains the instructions and marking guidance that our examiners used to mark candidate responses for this component.

Before they start marking, examiners complete a standardisation process. They review a range of candidate responses and discuss the mark scheme in detail to agree which answers can and cannot be accepted. Examiners award marks where it is clear that candidate responses have met the requirements of the mark scheme. These requirements may vary between different components or different versions of the same component, depending on the exact requirements of the question and the candidate responses seen during the standardisation process.

Sometimes, our mark schemes may allow marks to be awarded to responses which contain elements that are factually incorrect or for content not covered by the syllabus. We do this in response to the demands of a specific question to support candidates and make sure that our assessments are fair. However, these allowances should not be used as a guide for teaching and learning.

We cannot discuss the mark scheme with schools, and we recommend that schools read the mark scheme together with the assessment material and the Principal Examiner Report for Teachers.

This document consists of **13** printed pages.

General marking principles

All examiners must apply these marking principles when marking candidate responses.

1	Examiners must award marks for each response in line with: - the specific content defined in the mark scheme - the specific skills defined in the mark scheme or in the level descriptions - the standard of response required as exemplified by the standardisation scripts.
2	Examiners must award whole marks (not half marks, or other fractions).
3	Examiners must award marks positively . This means that: - marks are not deducted for errors or omissions - marks are awarded for correct/valid answers as defined in the mark scheme and also for other valid answers which go beyond the scope of the syllabus and mark scheme referring to your team leader as appropriate - the quality of spelling, punctuation and grammar are judged only when the mark scheme indicates that these features are specifically assessed in the question. However, the meaning of all responses must be unambiguous.
4	Examiners must consistently apply the requirements of the mark scheme and any rules for what to do when candidates have not followed instructions correctly.
5	Examiners must use the full range of marks defined in the mark scheme, unless limited by the quality of the candidate responses seen.
6	Examiners must award marks according to the mark scheme and must not award marks with grade thresholds or grade descriptions in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.

Annotations

Annotation	Meaning
	More information required
	Accuracy mark awarded zero
	Accuracy mark awarded one
	Accuracy mark awarded two
	Accuracy mark awarded three
	Independent mark awarded zero
	Independent mark awarded one
	Independent mark awarded two
	Independent mark awarded three
	Benefit of the doubt

Annotation	Meaning
C	Communication mark
X	Incorrect
FT	Follow through
Highlighter	Highlight a key point in the working
ISW	Ignore subsequent work
M0	Method mark awarded zero
M1	Method mark awarded one
M2	Method mark awarded two
M3	Method mark awarded three
MR	Misread
O	Omission
Off-page comment	Allows comments to be entered at the bottom of the RM marking window and then displayed when the associated question item is navigated to.
On-page comment	Allows comments to be entered in speech bubbles on the candidate response.
Pre	Premature rounding/approximation
SC	Special case
SEEN	Indicates that work/page has been seen
TE	Transcription error

Annotation	Meaning
	Correct
	Correct answer from incorrect working

PUBLISHED**MARK SCHEME NOTES**

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

M Method marks, awarded for a valid method applied to the problem.

A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.

B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more ‘method’ steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation ‘dep’ is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.


Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
nfwf	not from wrong working
oe	or equivalent
rot	rounded or truncated
SC	Special Case
soi	seen or implied


For **all** questions:

Mark answer line for full marks unless nfw stated, if answer space blank, check diagrams and / or working, condone poor spelling if intention clear


Question	Answer	Marks	Partial marks	Guidance
1(a)	35	1		
1(b)	15	1		
1(c)	8	2	B1 for $\frac{40}{100}$ seen	
2	1, 3, 7, 21	2	B1 for all correct factors with one extra or for any 3 factors correct with no extras	For 2 marks accept 1×21 and 3×7 Condone repeats
3	12	2	M1 for $60 \div 5$	M1 implied by $5 \times 12 = 60$
4(a)	$\frac{21}{25}$	2	B1 for $\frac{21}{5}$ or $\times \frac{1}{5}$ or answer of a fraction with denominator 25	
4(b)	20	1		
5(a)	1	1		
5(b)	45	1		

Question	Answer	Marks	Partial marks	Guidance
6(a)	Correct bar chart 	2	B1 for 3 correct heights with inconsistent widths or 2 bars with correct heights and consistent widths	
6(b)	$\frac{1}{2}$ cao	2	M1 for $\frac{20}{20+8+12}$ oe or better	M1 implied by equivalent fractions e.g. $\frac{20}{40}$ or 0.5 or 50%
7(a)	$(0, -5)$	1		
7(b)	2	1		Do not accept $2x$
7(c)	Substituting x : $y = 2 \times 4 - 5 \rightarrow y = 3$ or substituting y : $3 = 2 \times x - 5 \rightarrow x = 4$	1		Accept correct method embellished with a diagram. Do not accept diagrams with no other working. without correct substitution Must see the substitution and the result. If both substitutions shown, then treat as choice.
7(d)	$(2, -1)$	2	FT <i>their (a)</i> for 2 marks B1 FT for correct x or y coordinate or M1 For $\left(\frac{(\text{their } 0) + 4}{2}, \frac{(\text{their } -5) + 3}{2} \right)$ soi	Marking must be consistent on method for both coordinates.
8(a)	Trapezium	1		Do not accept trapezoid

Question	Answer	Marks	Partial marks	Guidance			
8(b)(i)	40 Angle sum of a triangle is 180 oe	2	B1 for each	Accept ‘Angles in a triangle add up to 180 ‘oe Condone ‘There are 180 ^[°] in a triangle’			
8(b)(ii)	40 Alternate angles are equal oe or co-interior angles sum to 180 oe	2	FT B1 for <i>their</i> acute angle	Accept ‘Alternate angles [are equal]’ Do not accept alternative, alt Do not accept ‘Z angles’ or ‘angles in a quadrilateral add to 360’ but accept as embellishments. oe e.g. ‘co-interior angles are supplementary’			
8(c)(i)	Scalene	1					
8(c)(ii)	Obtuse	1		Do not accept Abtuse or Ocute			
9(a)	<table border="1"><tr><td>90</td></tr><tr><td>180</td></tr><tr><td>60</td></tr></table>	90	180	60	2	B1 for 1 correct angle or M1 for 6 ^[°] [per email] soi	
90							
180							
60							
9(b)	Correct pie chart with category labels	2	FT <i>their</i> angles from (a) provided <i>their</i> total = 330° B1 for 1 correct sector with category label or 2 correct sectors with missing/incorrect labels	Tolerance ± 2° for each sector For 2 marks, check the best two sectors are within tolerance			
10	[x =] 64 [y =] 27	3	B2 for [x =] 36, 49 or 64 and [y =] 27 or 64 with no incorrect values seen for x or y or B1 for [x =] 36, 49 or 64 or [y =] 27 or 64 seen				

Question	Answer	Marks	Partial marks	Guidance
11(a)		2	B1 for two correct regions or for 10 correct elements	
11(b)	$P \cap Q$	1		
12(a)	120	2	B1 for $\frac{3}{5}$ oe or M1 for $\frac{200}{2+3}$ soi If 0 scored, SC1 for answer of 80	M1 implied by 40 i.e. SC1 for expected number of red counters
12(b)	88 is not a multiple of 5 oe	1	Accept $88 \div 5$ is not a whole number	Note: The reason must mention 5 Do not accept explanation that includes incorrect statement(s)
13(a)	$3b(4b^3 - 1)$ final answer	2	B1 for $3(4b^4 - b)$ or $b(12b^3 - 3)$ or for $3b(4b^3 - 1)$ seen and spoilt	Accept $1b$ for b . Condone missing final bracket. Do not accept change of variable
13(b)	$16x + 23$ final answer	2	B1 for $6x - 2$ or $10x + 25$ or for $16x$ or 23 in the final answer or for $16x + 23$ seen and then spoilt	
14	27	3	M2 for $\frac{1}{3} \times 10 \times 10 \times h = 900$ or better or M1 for [base area =] 10×10 soi	M1 implied by 100 seen

Question	Answer	Marks	Partial marks	Guidance
15	$[x=] 3$ $[y=] 2$ nfww	4	M1 for correctly equating one set of coefficients M1 for correct method to eliminate one variable OR M1 for making x or y the subject of one equation M1 for substitution of x or y from <i>their</i> rearranged equation into other equation A1 for $x = 3$ A1 for $y = 2$ If at least one M1 awarded followed by A0 A0, then also award SC1 for 2 values satisfying one of the original equations.	M2 for $46kx = 138k$ or $23ky = 46k$ Check for working allow one arithmetic error in either M1 but not both A sign error is not an arithmetic error. If there are 2 arithmetic errors in 1st stage, then award M0 M0 Allow TE for fully correct, clearly stated values of x and y in the working but in reversed positions on the answer line. SC1 for 2 values that substitute to give i.e. $6x + 7y$ rounding to 32.0 $4x - 3y$ rounding to 6.00 Alternative method using determinants. M2 for $[x =] \frac{-96 - 42}{-18 - 28}$ oe implied by $\frac{-138}{-46}$ oe or $[y =] \frac{-36 - 128}{-18 - 28}$ oe implied by $\frac{-92}{-46}$ oe Allow only one arithmetic error working for M2 A sign error is not an arithmetic error. or B1 for $\begin{vmatrix} 6 & 7 \\ 4 & -3 \end{vmatrix}$ and $\begin{vmatrix} 32 & 7 \\ 6 & -3 \end{vmatrix}$ oe or $\begin{vmatrix} 6 & 7 \\ 4 & -3 \end{vmatrix}$ and $\begin{vmatrix} 6 & 32 \\ 4 & 6 \end{vmatrix}$ oe Accept equivalents provided column order is consistent If B1 or M2 awarded followed by A0 A0, then also award SC1 for 2 values satisfying one of the original equations.

Question	Answer	Marks	Partial marks	Guidance
16	36π cao	3	B1 for $[r =] 6$ soi M1 for $\pi \times (12 \div 2)^2$ If 0 awarded, SC1 for answer 144π	B1 M1 for 36π seen then attempt to find a numerical answer B1 M1 for $\pi \times 6^2$ B1 for answer of 6 Accept numerical values for π for M1 i.e. SC1 for answer for area using $r = 12$ rather than $r = 6$
17(a)	3, 4, 5, 6	2	B1 for 3 correct and no extras or 4 correct plus one extra	1 mark for e.g. 3, 4, 5 or 4, 5, 6 or 3, 4, 6 or e.g. 2, 3, 4, 5, 6
17(b)		2	B1 for one correct inequality on the number line or for line between 4 and 8 or two correct circles with no line	