

F

Wednesday 18 November 2020 – Morning

GCSE (9–1) Combined Science B (Twenty First Century Science)

J260/04 Combined Science (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9-1) Combined Science B (inside this document)

You can use:

- · an HB pencil
- · a scientific or graphical calculator



| Please write clearly in black ink | Oo not write in the barcodes. | |
|-----------------------------------|-------------------------------|--|
| Centre number | Candidate number | |
| First name(s) | | |
| Last name | | |

INSTRUCTIONS


- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is **75**.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 24 pages.

ADVICE

· Read each question carefully before you start your answer.



Answer all the questions.

1 (a) Sarah draws three different cells, cell A, cell B, and cell C, as shown in Fig. 1.1.




Fig. 1.1

| (i) | What type of cell is cell A ? |
|-------|--|
| | [1] |
| (ii) | What is found in all three cells? |
| | Tick (✓) one box. |
| | Cell membrane |
| | Nucleus |
| | Mitochondria |
| | Chloroplast |
| | [1] |
| (iii) | Cell C has a length of 0.0047 mm. |
| | $1 \text{ mm} = 1000 \mu\text{m}$. |
| | Calculate the length of cell C in micrometres, μm . |
| | |
| | |
| | Length = μm [1] |

(b) Microscopes can be used to look at cells.

Complete the sentences about microscopes.

Use words from the list.

You can use each word once, more than once, or not at all.

| focus | light | resolution | neutron |
|------------------|-------------|-------------------------|-----------------------------------|
| magnify | depth | electron | power |
| A microscope can | be used to | parts of | a cell that cannot be seen with |
| the naked eye. | | | |
| | microscopes | have a higher magnifica | tion and |
| than | microsc | opes, so they can be us | sed to look at parts of a cell in |
| more detail. | | | [4] |

(c) Fig. 1.2 shows a light microscope.




Fig. 1.2

(i) Sarah uses the microscope in Fig. 1.2 to look at some cells.

The steps Sarah takes to look at some cells are listed below but are **not** in the correct order.

- A Place the prepared slide on the microscope stage.
- **B** Turn the focus wheel to make the image clear.
- **C** Change the objective lens to a higher magnification.
- **D** Prepare a microscope slide of the cells.
- **E** Use the objective lens with the lowest magnification.

Write the **letters** in the boxes to show the correct order.

The first one has been done for you.

| D | | |
|---|--|--|
| | | |

(ii) Which combination of eyepiece and objective lens will produce a magnification of × 400?Tick (✓) one box.


| Eyepiece | Objective lens | |
|----------|----------------|--|
| × 10 | ×20 | |
| ×5 | ×40 | |
| × 10 | ×40 | |
| × 5 | ×20 | |

[1]

5 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

2 (a) Ben is investigating the movement of water in plant tissue using a potometer as shown in the diagram.



Ben measures how far the bubble moves in 15 minutes, and then calculates the rate of water uptake. He repeats the measurements 5 times, and his results can be seen in the table.

| Repeat | Rate of water uptake (mm ³ /min) |
|--------|---|
| 1 | 1.2 |
| 2 | 1.4 |
| 3 | 1.1 |
| 4 | 1.2 |
| 5 | 0.7 |

| (1) | Ben says the value for repeat 5 is an outlier. | |
|-------|---|-----|
| | Give one reason why Ben says this. | |
| | | |
| (ii) | Suggest what has caused the outlier. | [1] |
| | | [1] |
| (iii) | Calculate the mean rate of water uptake by the plant in Ben's experiment. | |
| | Use data from the table. | |

Mean rate of water uptake = mm³/min [1]

| (iv) | Ben wants to investigate the different factors that speed up the rate of water uptake by the plant. |
|------|---|
| | Suggest three ways he can change his experiment to speed up the rate of water uptake. |
| | Suggestion 1 |
| | |
| | Suggestion 2 |
| | |
| | Suggestion 3 |
| | |
| | [3] |

3 (a) Table 3.1 shows the properties of some materials.

| Material | Tensile Strength (MPa) | Density (g/cm ³) | Electrical conductivity | Thermal conductivity | Flexibility | Melting Point (°C) |
|---------------------------------|------------------------------|---------------------------------|-------------------------|----------------------|-------------|-----------------------|
| Aluminium | 290 | 2.7 | good | good | medium | 660 |
| Low-density polyethylene (LDPE) | 17 | 0.9 | poor | poor | high | 110 |
| Steel | 1020 | 8.1 | good | good | medium | 1400 |

Table 3.1

(i) Which material in **Table 3.1** should be used as an **insulator** around electrical wires found in a plug, as shown in **Fig. 3.1**?




Fig. 3.1

Put a (ring) around the correct answer.

aluminium LDPE steel [1]

(ii) Overhead electrical cables used in the National Grid need to be flexible, and as light as possible.

Which material in **Table 3.1** should be used for overhead electrical cables in the National Grid as shown in **Fig. 3.2**?




Fig. 3.2

Put a (ring) around the correct answer.

aluminium LDPE steel [1]

(b) Which statements about the materials in Table 3.1 are true and which are false?Tick (✓) one box in each row.

| | True | False |
|--|------|-------|
| Aluminium is more likely to bend without breaking than LDPE. | | |
| LDPE is nine times less dense than steel. | | |
| Steel is the strongest material. | | |

| | | [2] |
|-------|--|-------|
| (c) S | Suggest which material costs the least to recycle. | |
| l | Use data from Table 3.1 to explain your answer. | |
| | | |
| | | |
| | | |
| | | . [2] |

(d)* In some professional cycling sports, competitors have to run with their bicycles.



Table 3.2 shows some materials used to make professional cycling bicycles.

| Material | Density (g/cm³) | Strength (MPa) | Brittleness | Cost of frame (£) |
|--------------|--------------------|-------------------|-------------|-------------------|
| Steel | 8.1 | 1020 | low | 350 |
| Aluminium | 2.7 | 290 | low | 500 |
| Titanium | 4.5 | 434 | low | 1000 |
| Carbon fibre | 1.8 | 1600 | high | 800 |

Table 3.2

Give the advantages and disadvantages of using carbon fibre for professional cycling

bicycles.

Use the information in **Table 3.2** and calculations to support your answer.

.....[6]

4 (a) Some students are talking about the movement of molecules in plant cells.

| March | |
|-------|-----|
| | 2// |
| | |
| | M |

Nina

Water molecules move across a partially permeable membrane from regions of higher concentration to lower concentration.



Gas and water molecules move across a partially permeable membrane.





Sarah

Molecules move randomly from regions of higher concentration to lower concentration.

Jack

Plants use energy from ATP to transport molecules across a cell membrane.



| | Tick (✓) one box. | | |
|------|--------------------------|-------------------------------------|-----|
| | Nina | | |
| | Kareem | | |
| | Sarah | | |
| | Jack | | |
| | | | [1] |
| (ii) | Which student is correct | tly talking about active transport? | |
| | Tick (✓) one box. | | |
| | Nina | | |
| | Kareem | | |
| | Sarah | | |
| | Jack | | |
| | | | |

[1]

| | | 12 | |
|-----|------|--|-------------------------------------|
| (b) | (i) | Mia is investigating osmosis in potato cells. She writes | s a six-step plan. |
| | | Step 1. Cut 5 pieces of potato. | |
| | | Step 2. Weigh them and record the masses. | |
| | | Step 3. Put them into different salt solutions. | |
| | | Step 4. Leave them for a few minutes. | |
| | | Step 5. Take them out and weigh them again. | |
| | | Step 6. Calculate the percentage change in mass. | |
| | | Suggest how Mia can improve Steps 1 , 3 and 4 of her valid. | plan to ensure her investigation is |
| | | Step 1 | |
| | | Step 3 | |
| | | Step 4 | |
| | | | [3] |
| | (ii) | Mia's measurements for one piece of potato are show | n in the table. |

| Starting mass (g) | 20.4 |
|-------------------|------|
| Final mass (g) | 18.2 |

Calculate the percentage decrease in mass for this piece of potato.

Use the equation: percentage decrease = $\frac{\text{change}}{\text{original}} \times 100$


Give your answer to 3 significant figures.

Percentage decrease = % [3]

13 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- 5 (a) Beth is investigating how changing the length of a wire affects its resistance.
 - (i) Complete the circuit diagram to show how Beth can investigate the resistance of a wire inside a section of an electric car track.



(ii) Beth calculates the resistance of different lengths of the section of track, and her results are shown in the table.

| Length of section of track (cm) | Resistance (Ω) |
|---------------------------------|-------------------|
| 10 | 2.5 |
| 20 | 5.0 |
| 30 | 7.5 |
| 40 | 10.0 |
| 50 | 12.5 |

| roı |
|---|
| |
| |
| |
| |
| Use the data in the table to support your answer. |
| |
| What can be concluded from Beth's results? |

| (iii) | Calculate the current in the circuit when there is a potential difference of 3.0 V acros |
|-------|--|
| | 50 cm of track. |

Use the equation: potential difference = current × resistance

Current = A [2]

(b) Beth makes three changes to the investigation to improve it.

Draw lines to connect each change in the investigation with its correct improvement.

Change in investigation

Adding a switch to the circuit

Only using straight sections of track

Taking several readings at each track length

Improvement


Greater accuracy of measurement

Increases the precision

Reduces the risk of overheating

[2]

6 The diagram shows part of a rollercoaster ride.



(a) Complete the sentences about the energy transfers in a rollercoaster ride.Use words from the list.

You can use each word once, more than once or not at all.

| sound | kinetic | electrical |
|-------------------------|---------|--------------------|
| gravitational potential | thermal | increases |
| decreases | speed | distance travelled |

| | cau | ses the energy sto | re of the train to increase. |
|-----|------|---|------------------------------|
| | is d | issipated into the inaccessible thermal energy stor | e of the surroundings. |
| (b) | (i) | Which equation should be used to calculate grave | itational potential energy? |
| | | Tick (✓) one box. | |
| | | (mass × gravitational field strength) ÷ height | |
| | | mass × gravitational field strength × height | |
| | | mass × gravitational field strength × (height) ² | |
| | | (mass x height) ÷ gravitational field strength | |

| | (ii) | At the highest point of the rollercoaster ride, the train is 40 m from the ground. |
|-----|------|---|
| | | The train has a mass of 1400 kg when it is full of passengers. |
| | | Calculate the gravitational potential energy stored in the train when it is at the highest point of the rollercoaster ride. |
| | | Gravitational field strength = 10 N/kg |
| | | |
| | | |
| | | |
| | | |
| | | Gravitational potential energy = |
| (c) | The | train reaches a maximum speed of 90 km/h. |
| | Cal | culate the maximum kinetic energy of the train when it is full of passengers. |
| | Use | the equation: kinetic energy = 0.5 × mass × speed ² |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Kinetic energy = |
| (d) | | electric motor that provides the energy to lift the train to the top of the rollercoaster ride an efficiency of 0.40. |
| | | empty train has 360 000 J of gravitational potential energy at the highest point of the ercoaster ride. |
| | Cal | culate the total energy transferred by the electric motor. |
| | Use | the equation: efficiency = useful energy transferred ÷ total energy transferred |
| | Giv | e your answer in kJ . |
| | | |
| | | |
| | | |

© OCR 2020 Turn over

Total energy transferred =kJ [3]

7 (a) Complete the sentences about the greenhouse effect.

Use words from the list.

You can use each word once, more than once or not at all.

| absorbed | microwave | reflected | methane | |
|----------------|---------------------------|--------------------|-------------------|-------------------|
| ultraviolet | scattered | nitrogen | infrared | |
| The Earth r | eceives electromagnetic i | radiation from the | e Sun. Some of | this radiation |
| is | by | the Earth's surf | ace, causing it | to warm up. |
| | radiation | is then emitted fr | om the Earth's su | rface. Some of |
| this radiation | is then | by gre | enhouse gases in | the atmosphere |
| such as carbo | on dioxide and | | , which is then i | re-emitted in all |
| directions. | | | | [4] |

(b) Carbon dioxide is a greenhouse gas.

Fig. 7.1 shows the mass of carbon released worldwide every year from 1900 to 2014.




Fig. 7.1

| (i) Describe the trend. | trend shown in Fig. | rr and baggoo | cure possible explain | adono ioi tilio |
|---------------------------|-------------------------------|-------------------------|-----------------------|-----------------|
| Trend | | | | |
| | | | | |
| Explanation 1 | 1 | | | |
| | | | | |
| Explanation 2 | 2 | | | |
| | | | | [3] |
| , | son why the data in Fi | , | | |
| | | | | |
| (iii) Describe two | effects of the trend se | en in Fig. 7.1 . | | |
| Effect 1 | | | | |
| | | | | |
| Effect 2 | | | | |
| | | | | |

| (c) | | rbon capture and storage is a process where carbon dioxide is collected derground. | and s | stored |
|-----|------|--|-------|--------|
| | Sug | ggest two negative effects of carbon capture and storage on the environment. | | |
| | 1 | | | |
| | | | | |
| | 2 | | | |
| | | | | |
| | | | | [2] |
| (d) | (i) | Coal and oil are non-renewable sources of energy. | | |
| | | Biofuels such as wood or straw pellets are renewable sources of energy. | | |
| | | How are non-renewable sources of energy different from renewable sources | of en | ergy? |
| | | | | |
| | | | | [1] |
| | (ii) | Biofuels are carbon neutral. This means that their use does not increase carl levels in the atmosphere. Coal is not carbon neutral. | on d | ioxide |
| | | Which two statements explain why biofuels are carbon neutral? | | |
| | | Tick (✓) two boxes. | | |
| | | Biofuels release water when they burn. | | |
| | | Plants take in carbon dioxide when they photosynthesise. | | |
| | | Biofuels release less sulfur dioxide when burnt. | | |
| | | Plants give out carbon dioxide when they respire. | | |
| | | Burning plants releases the same mass of carbon dioxide they absorb. | | |
| | | | | [2] |

END OF QUESTION PAPER

21

ADDITIONAL ANSWER SPACE

| If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s). | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.